



## RED HANDLE HITCHPINS


- The “original” hitchpins with the red plastisol coated head
- These pins are made of high tensile steel and heat treated
- Hitchpin clip included



P/N	SHAFT DIAMETER	USABLE LENGTH	HP NUMBER	CLIP NUMBER	STANDARD PACKAGE	WEIGHT
00103	3/8"	4"	H38	68838	12	0.38
00113	1/2"	3-5/8"	H12	68860	12	0.60
00223	5/8"	4"	H58-4	68870	12	0.90
00123	5/8"	5-1/2"	H58	68870	12	1.17
00233	3/4"	4"	H34-4	68870	12	1.07
00133	3/4"	6-1/2"	H34	68870	12	1.53
00243	7/8"	4"	H78-4	68870	12	1.40
00143	7/8"	6-1/2"	H78	68870	12	1.81
00253	1"	4-1/2"	H100-45	68880	6	2.00
00153	1"	7-1/2"	H100	68880	6	2.65
00353	1"	12"	H100-12	68880	1	3.60
00163	1-1/8"	8-1/2"	H1125	68880	6	3.64
00363	1-1/8"	12"	H1125-12	68880	1	4.65
00173	1-1/4"	8-1/2"	H1250	68880	6	4.33
00373	1-1/4"	12"	H1250-12	68880	1	5.50
00183	1-1/2"	8-1/2"	H1500	68884	4	6.48
00383	1-1/2"	13"	H1500-13	68884	1	8.60
00193	1-3/4"	8-1/2"	H1750	68884	1	8.90
00393	1-3/4"	13"	H1750-13	68884	1	11.99
00198	2"	8-1/2"	H2000	68886	1	11.05
00398	2"	13"	H2000-13	68886	1	14.87

P/N	SHAFT DIAMETER	USABLE LENGTH	LANYARD LENGTH	HP NUMBER	CLIP NUMBER	STANDARD PACKAGE	WEIGHT
20103	3/8"	4"	6"	H38	68838	12	0.41
20113	1/2"	3-5/8"	6"	H12	68860	12	0.61
20223	5/8"	4"	6"	H58-4	68870	12	0.90
20123	5/8"	5-1/2"	12"	H58	68870	12	1.18
20233	3/4"	4"	6"	H34-4	68870	12	1.08
20133	3/4"	6-1/2"	12"	H34	68870	12	1.55
20243	7/8"	4"	6"	H78-4	68870	12	1.50
20143	7/8"	6-1/2"	12"	H78	68870	12	1.85
20253	1"	4-1/2"	6"	H100-45	68880	6	2.03
20153	1"	7-1/2"	15"	H100	68880	6	2.70
20353	1"	12"	17"	H100-12	68880	1	3.70
20163	1-1/8"	8-1/2"	15"	H1125	68880	6	3.80
20363	1-1/8"	12"	17"	H1125-12	68880	1	4.70
20173	1-1/4"	8-1/2"	15"	H1250	68880	6	4.40
20373	1-1/4"	12"	17"	H1250-12	68880	1	5.60
20183	1-1/2"	8-1/2"	15"	H1500	68884	4	6.82
20383	1-1/2"	13"	19"	H1500-13	68884	1	9.00

### Hitchpins with Lanyards



**Simple & Safe!**



80170

## BENT PIN

- Economical universal pin for use on agricultural, industrial, recreational and construction equipment
- Easy to install and remove replacement for clevis pin
- Includes hitchpin clip
- Clear zinc plated



10307

Made in the USA

P/N	SHAFT DIAMETER	USABLE LENGTH	OVERALL LENGTH	CLIP NUMBER	WEIGHT
10302	5/16"	2-1/2"	4"	60830	0.10
10303	5/16"	3"	4-1/2"	60830	0.11
10305	3/8"	2-1/2"	4"	60830	0.15
10306	3/8"	3"	4-1/2"	60830	0.16
10307	3/8"	3-1/2"	5"	60830	0.20
10308	3/8"	4"	5-1/2"	60830	0.21
10310	1/2"	2-1/2"	4"	60860	0.25
10312	1/2"	3"	4-3/4"	60860	0.28
10314	1/2"	4"	5-3/4"	60860	0.34
10315	1/2"	4-1/2"	6-1/2"	60860	0.38
10316	1/2"	5"	6-3/4"	60860	0.40
10317	1/2"	6"	8-1/4"	60860	0.50
10318	1/2"	8"	10-1/4"	60860	0.65
10320	5/8"	3"	5"	60870	0.50
10322	5/8"	4"	6"	60870	0.57
10326	5/8"	5"	7-1/2"	60870	0.72
10327	5/8"	6"	8-1/2"	60870	1.02
10328	5/8"	8"	10-1/2"	60870	1.34
10330	3/4"	3-1/2"	6"	60870	0.85
10332	3/4"	4-1/2"	7"	60870	0.96
10336	3/4"	5"	7-1/2"	60870	1.02
10337	3/4"	6"	9"	60870	1.24
10338	3/4"	8"	11"	60870	1.46
10339	3/4"	10"	13"	60870	1.68
10350	1"	5"	8"	60880	1.64
10355	1"	6"	9"	60880	1.86
10358	1"	8"	11"	60880	2.08
10359	1"	10"	13"	60880	2.30

Standard Package = 1 piece

## LOCKEASE HITCHPIN

- Patented hinged handle & lock
- Easy installation & removal
- Field trash will not unhook pin

Made in the USA

P/N	SHAFT DIAMETER	USABLE LENGTH	STANDARD PACKAGE	WEIGHT
80140	5/8"	4-1/2"	4	2.13
80150	3/4"	4-1/2"	4	2.32
80160	3/4"	6"	4	2.58
80165	7/8"	4-1/2"	4	2.58
80170	7/8"	6"	4	2.90
80180	1"	6"	4	3.40
80190	1-1/8"	7"	4	4.62
80200	1-1/4"	7"	4	5.20
80210	1-1/2"	8"	2	7.40
80005	Repair Kit *		1	0.11

\* Lockease Repair Kit includes one lock clip, one compression spring and one 3/16" x 1" slotted spring pin.

## STAINLESS STEEL BENT PIN

- Universal pin with uses in agricultural, industrial, recreational and construction applications
- Easy to install and remove replacement for clevis pin
- Includes stainless steel hitchpin clip



10831

Made in the USA

P/N	SHAFT DIAMETER	USABLE LENGTH	OVERALL LENGTH	CLIP NUMBER	WEIGHT
10807	3/8"	3"	4-3/4"	61830	0.16
10813	1/2"	3"	4-3/4"	61860	0.28
10815	1/2"	4"	5-3/4"	61860	0.34
10817	1/2"	5"	7"	61860	0.40
10821	5/8"	3"	5"	61870	0.50
10823	5/8"	4"	6"	61870	0.60
10827	5/8"	5"	7-1/4"	61870	0.72
10831	3/4"	3-1/2"	5-1/2"	61870	0.85
10833	3/4"	4-1/2"	6-1/2"	61870	0.96

Standard Package = 1 piece



27105



27110



85320



85335

## SWIVEL-LOCK HITCHPIN

- Toggle lock held in place by spring washer
- Zinc plated 1045 steel



## ORANGE HANDLE DETENT PIN

- Hi-visibility bright orange plastisol easy grip handle
- Features stainless steel ball locking mechanism in place of hitchpin clip or other fastener
- Easy to insert and remove
- Zinc plated 1144 steel



P/N	SHAFT DIAMETER	USABLE LENGTH	OVERALL LENGTH	STANDARD PACKAGE	WEIGHT
27103*	3/8"	2-3/4"	5-1/2"	6	0.17
27105*	3/8"	4"	6-1/2"	6	0.21
27110	1/2"	3-1/2"	7-1/4"	6	0.46
27115	1/2"	5-1/2"	9-1/4"	6	0.60
27120	5/8"	3-1/2"	7-1/4"	6	0.82
27125	5/8"	5-1/2"	9-1/4"	6	1.00
27130	3/4"	3-1/2"	7-1/4"	6	1.03
27136	3/4"	6"	9-3/4"	6	1.34
27140	7/8"	3-1/2"	7-1/4"	6	1.27
27146	7/8"	6"	9-3/4"	4	1.70
27150	1"	3-1/2"	7-1/4"	4	1.60
27156	1"	6"	9-3/4"	4	2.20

P/N	SHAFT DIAMETER	USABLE LENGTH	WEIGHT
85301	5/16"	1"	0.18
85302	5/16"	1-1/2"	0.19
85303	5/16"	2"	0.21
85304	5/16"	2-1/2"	0.22
85305	5/16"	3"	0.23
85306	5/16"	4"	0.24
85310	3/8"	1"	0.18
85311	3/8"	1-1/2"	0.21
85312	3/8"	2"	0.22
85313	3/8"	2-1/2"	0.23
85314	3/8"	3"	0.25
85315	3/8"	4"	0.30
85320	1/2"	1"	0.25
85321	1/2"	1-1/2"	0.27
85322	1/2"	2"	0.29
85323	1/2"	2-1/2"	0.32
85324	1/2"	3"	0.35
85325	1/2"	4"	0.40
85330	5/8"	1-1/2"	0.36
85331	5/8"	2"	0.41
85332	5/8"	2-1/2"	0.44
85333	5/8"	3"	0.49
85334	5/8"	4"	0.58
85335	5/8"	5"	0.66
85340	3/4"	1-1/2"	0.50
85341	3/4"	2"	0.56
85342	3/4"	2-1/2"	0.63
85343	3/4"	3"	0.68
85344	3/4"	4"	0.82
85345	3/4"	5"	0.92

\* Split Ring Handle



29042

## T-HANDLE HITCHPINS

- Heavy duty pin with easy-grip T-handle
- Black zinc plated finish
- Black, PVC coated steel handle and wide collar
- 1/4" diameter hole for hitchpin clip, cotterpin or lynchpin (not included)



P/N	SHAFT DIAMETER	USABLE LENGTH	OVERALL LENGTH	STANDARD PACKAGE	WEIGHT
29020	5/8"	4"	6-1/2"	6	0.96
29027	5/8"	6"	8-5/8"	6	1.14
29031	3/4"	4"	6-1/2"	6	1.24
29035	3/4"	6"	8-5/8"	6	1.46
29042	7/8"	4"	6-1/2"	6	1.51
29053	7/8"	6"	8-5/8"	6	1.84
29064	1"	6"	8-5/8"	4	3.13
29075	1-1/4"	7"	9-5/8"	4	3.73

Standard Package = 1 piece





85651

## RING DETENT PIN

- Ring handle
- Clear zinc plated
- Packaged 1 per bag

P/N	SHAFT DIAMETER	USABLE LENGTH	WEIGHT
85601	3/16"	1"	0.03
85602	3/16"	1-1/2"	0.03
85603	3/16"	2"	0.03
85605	3/16"	3"	0.04
85606	1/4"	1-1/4"	0.03
85607	1/4"	1-1/2"	0.04
85608	1/4"	2"	0.05
85610	1/4"	3"	0.06
85612	1/4"	4"	0.08
85614	1/4"	5"	0.09
85616	5/16"	1-1/2"	0.06
85617	5/16"	2"	0.07
85618	5/16"	2-1/2"	0.08
85619	5/16"	3"	0.09
85621	5/16"	4"	0.13
85623	5/16"	5"	0.14
85625	3/8"	1"	0.08
85626	3/8"	1-1/2"	0.09
85627	3/8"	2"	0.09
85629	3/8"	3"	0.13
85631	3/8"	4"	0.16
85633	3/8"	5"	0.19
85637	7/16"	2"	0.08
85639	7/16"	3"	0.14
85641	7/16"	4"	0.19
85643	7/16"	5"	0.25
85645	1/2"	1"	0.09
85646	1/2"	1-1/2"	0.09
85647	1/2"	2"	0.12
85648	1/2"	2-1/2"	0.19
85649	1/2"	3"	0.19
85651	1/2"	4"	0.24
85653	1/2"	5"	0.30

Standard Package = 1 piece



25623

## ZINC PLATED HITCHPIN

- High carbon steel
- Spring wire handle
- One piece forged hitchpin
- Hitchpin clip included
- Yellow zinc plated

P/N	SHAFT DIAMETER	USABLE LENGTH	STANDARD PACKAGE	WEIGHT
25611	3/8"	4-1/4"	12	0.34
25613	1/2"	4-1/4"	12	0.46
25616	1/2"	6-1/4"	12	0.62
25623	5/8"	4-1/4"	12	0.65
25625	5/8"	6-1/4"	12	0.81
25633	3/4"	4-1/4"	12	0.90
25636	3/4"	6-1/4"	12	1.11
25640	7/8"	4-1/4"	12	1.20
25643	7/8"	6-1/4"	12	1.50
25650	1"	4-1/4"	12	1.50
25653	1"	6-1/4"	12	1.89
25663	1-1/8"	6-1/4"	6	2.40
25673	1-1/4"	6-1/4"	6	2.97

## ZINC PLATED HEAT TREATED HITCHPIN

- One piece forged hitchpin
- High carbon steel
- Spring wire handle
- Yellow zinc plated
- Heat treated to Rc 28-32



P/N	SHAFT DIAMETER	USABLE LENGTH	STANDARD PACKAGE	WEIGHT
29808	3/8"	4"	6	0.30
29810	1/2"	4"	6	0.51
29816	1/2"	5-3/4"	6	0.65
29821	5/8"	4"	6	0.72
29826	5/8"	5-3/4"	6	0.87
29832	3/4"	4"	6	0.96
29836	3/4"	6-1/4"	6	1.28
29843	7/8"	7"	6	1.78
29854	1"	7"	4	2.19
29865	1-1/8"	7"	4	2.81
29876	1-1/4"	7"	4	3.35

With 12" Chain & Lynchpin




P/N	SHAFT DIAMETER	USABLE LENGTH	STANDARD PACKAGE	WEIGHT
29908	3/8"	4"	6	0.19
29910	1/2"	4"	6	0.47
29916	1/2"	5-3/4"	6	0.58
29921	5/8"	4"	6	0.67
29926	5/8"	5-3/4"	6	0.83
29932	3/4"	4"	6	0.90
29936	3/4"	6-1/4"	6	1.16
29943	7/8"	7"	6	1.71
29954	1"	7"	4	2.14
29965	1-1/8"	7"	4	2.69
29976	1-1/4"	7"	4	3.31

With Clip

## WIRE LOCK HITCHPIN

- Hitchpin with coil tension
- High carbon steel
- Spring steel wire holds pin in place



P/N	SHAFT DIAMETER	USABLE LENGTH	STANDARD PACKAGE	WEIGHT
25113	1/2"	4-1/4"	12	0.50
25223	5/8"	4-1/4"	12	0.72
25233	3/4"	4-1/4"	12	1.00
25133	3/4"	6-1/4"	12	1.20
25143	7/8"	6-1/4"	12	1.60
25153	1"	6-1/4"	12	2.00



## ECONOMY (CLEVIS) HITCHPIN

- Yellow zinc plated
- Medium carbon steel

P/N	SHAFT DIAMETER	USABLE LENGTH	STANDARD PACKAGE	WEIGHT
21350	1/2"	5"	12	0.30
21351	5/8"	5"	12	0.70
21352	3/4"	5"	12	0.90
21353	7/8"	5"	12	1.10
21354	1"	5"	6	1.42
21355	1-1/8"	5-3/4"	6	1.90